

Krytox[™] VPF 1506 XP

_

Version 5.0	Revision Date: 11/08/2022		9S Number: 64333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017				
SECTION ²	I. IDENTIFICATION							
Produ	Product name		Krytox™ VPF 150	6 XP				
SDS-I	dentcode	:	13000031446					
Manuf	acturer or supplier's	deta	ils					
Compa	any name of supplier	:	The Chemours Co	ompany FC, LLC				
Addres	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)					
Telepł	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)					
Emerg	Emergency telephone		Medical emergency: 1-866-595-1473 (outside the U.S. 1-302- 773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)					
Recor	nmended use of the c	hem	nical and restriction	ns on use				
Recon	nmended use	:	Lubricant					
Restrie	ctions on use	:	tions involving imp internal body fluid written agreement	only. I Chemours™ materials in medical applica- lantation in the human body or contact with s or tissues unless agreed to by Seller in a covering such use. For further information, ur Chemours representative.				

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Poly(oxy <trifluoro(trifluoromethyl)ethy< td=""><td>Not Assigned</td><td>>= 1 - < 5</td></trifluoro(trifluoromethyl)ethy<>	Not Assigned	>= 1 - < 5
lene>), omega-fluoro-alpha-		



Krytox™ VPF 1506 XP

Versie 5.0	on	Revision Date: 11/08/2022		OS Number: 64333-00015		e of last issue: 07/06/2022 e of first issue: 06/21/2017		
	<tetrafl phosph</tetrafl 		y-					
ļ	Actual concentration is withheld as a trade secret							
SECT	TION 4	. FIRST AID MEASUR	RES					
I	lf inhale	ed	:	If inhaled, remove Get medical atter		esh air. f symptoms occur.		
I	In case	of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.				
I	In case	of eye contact	:	Flush eyes with v Get medical atter		as a precaution. f irritation develops and persists.		
I	lf swall	owed	:	If swallowed, DO Get medical atter Rinse mouth thor	ntion i	f symptoms occur.		
a		nportant symptoms ects, both acute and d	:	Irritation Polymer fume fev Skin contact may Irritation Discomfort Itching Redness	ver provo	e the following symptoms: oke the following symptoms:		
F	Protect	ion of first-aiders	:	No special preca	utions	are necessary for first aid responders.		
1	Notes t	o physician	:	Treat symptomat	ically	and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates



Versic 5.0	on	Revision Date: 11/08/2022		S Number: 64333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017
				Carbon oxides	
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	•	protective equipment ighters	:	necessary.	ed breathing apparatus for firefighting if tective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the



Versio 5.0	n Revision Date: 11/08/2022		DS Number: /64333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017	
			environment.		
Conditions for safe storage		:		labeled containers. nce with the particular national regulations.	
Μ	Materials to avoid		No special restrictions on storage with other products.		
	urther information on stor- ge stability	:	No decomposition	n if stored and applied as directed.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm	OSHA Z-1



Krytox™ VPF 1506 XP

Versior 5.0	n Revision Date: 11/08/2022			ate of last issue: 07/06/2022 ate of first issue: 06/21/2017				
				55 mg/m³				
Engineering measures			Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.					
Pe	ersonal protective equipm	nent						
R	espiratory protection	:	maintain vapor expo concentrations are a unknown, appropriat Follow OSHA respira use NIOSH/MSHA a by air purifying respi dous chemical is lim respirator if there is exposure levels are	chaust ventilation is recommen sures below recommended lim bove recommended limits or a re respiratory protection should ator regulations (29 CFR 1910 pproved respirators. Protection rators against exposure to any ited. Use a positive pressure a any potential for uncontrolled r unknown, or any other circums espirators may not provide ade	hits. Where are I be worn. .134) and n provided hazar- ir supplied elease, stance			
Ha	and protection							
	Remarks	:	Wash hands before	breaks and at the end of work	day.			
Ey	e protection	:	Wear the following p Safety glasses	ersonal protective equipment:				
Sł	kin and body protection	:	Skin should be wash	ed after contact.				
Hy	ygiene measures	:	eye flushing systems king place. When using do not e	cal is likely during typical use, s and safety showers close to eat, drink or smoke. clothing before re-use.	provide the wor-			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available



Krytox™ VPF 1506 XP

Vers 5.0	sion	Revision Date: 11/08/2022		S Number: 64333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017
	range				
	Flash p	oint	:	Method: Pensky- does not flash	Martens closed cup
	Evapora	ation rate	:	No data available)
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available	9
	Relative	e vapor density	:	No data available	
	Relative	e density	:	1.9	
	Solubili Wat	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	9
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosi Visc	ty osity, kinematic	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	•	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.



Krytox[™] VPF 1506 XP

Version 5.0	Revision Date: 11/08/2022	SDS Number: 1764333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017
Incomp	patible materials	: None.	
	dous decomposition al decomposition	products : Hydrogen fluorid Carbonyl difluori Carbon dioxide Carbon monoxid	de

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

÷

2

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days



Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
5.0	11/08/2022	1764333-00015	Date of first issue: 06/21/2017

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

5

Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoro-alpha-<tetrafluoro-1 <<(hydroxyphe-noxyphosphinyl)oxy>methyl>ethyl>-

Routes of exposure Species Result	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



Krytox[™] VPF 1506 XP

Version 5.0	Revision Date: 11/08/2022	SDS Number: 1764333-00015	Date of last issue: 07/06/2022 Date of first issue: 06/21/2017
SECTION	12. ECOLOGICAL II	NFORMATION	
Ecoto	oxicity		
Com	ponents:		
	oxy <trifluoro(trifluoror bhosphinyl)oxy>meth</trifluoro(trifluoror 		ga-fluoro-alpha- <tetrafluoro-1 <<(hydroxyphe-<="" td=""></tetrafluoro-1>
:			
Ecoto	oxicology Assessme	ent	
Acute	aquatic toxicity	: Toxic effects ca	annot be excluded
Chror	nic aquatic toxicity	: Toxic effects ca	annot be excluded
	stence and degrada	bility	
	ccumulative potentia	al	
	lity in soil ata available		
	r adverse effects ata available		

Disposal methods Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
5.0	11/08/2022	1764333-00015	Date of first issue: 06/21/2017

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)
		reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

PFPE fluid Trade secret Poly(oxy<trifluoro(trifluoromethyl)ethylene>), omega-fluoroalpha-<tetrafluoro-1 <<(hydroxyphenoxyphosphinyl)oxy>methyl>ethyl>-


California Prop. 65

WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION

Further information





Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
USA. Occupational Exposure Limits (OSHA) - Table Z-2
8-hour, time-weighted average
Short-term exposure limit
Ceiling limit
Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
Ceiling value not be exceeded at any time.
8-hour time weighted average
8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals



Krytox[™] VPF 1506 XP

Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2022
5.0	11/08/2022	1764333-00015	Date of first issue: 06/21/2017

in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/08/2022

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8