

Versio 5.0	n Revision Date 11/08/2022		DS Number: 764301-00012	Date of last issue: 04/01/2022 Date of first issue: 06/20/2017
SECTI	ON 1. IDENTIFICAT	ION		
Pr	oduct name	:	Krytox™ 143AD	
SI	DS-Identcode	:	130000031443	
М	anufacturer or sup	olier's deta	ails	
C	ompany name of sup	plier :	The Chemours Company FC, LLC	
Ad	Address		1007 Market Street Wilmington, DE 19801 United States of America (USA)	
Te	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)	
Er	Emergency telephone		Medical emergency: 1-866-595-1473 (outside the U.S. 1-302 773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)	
R	ecommended use c	of the cher	nical and restriction	ons on use
R	ecommended use	:	Lubricant	
R	Restrictions on use		tions involving im	ell Chemours™ materials in medical applica- plantation in the human body or contact with s or tissues unless agreed to by Seller in a

please contact your Chemours representative. For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

written agreement covering such use. For further information,

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

The thermal decomposition vapors of fluorinated plastics may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	PFPE fluid
CAS-No.	:	Trade secret



Krytox™ 143AD

Version 5.0	Revision Date: 11/08/2022	SDS Number: 1764301-00012		Date of last issue: 04/01/2022 Date of first issue: 06/20/2017
•	ponents azardous ingredients			
SECTION	4. FIRST AID MEASU	RES		
lf inha	aled	:	If inhaled, removed Get medical atte	ve to fresh air. ntion if symptoms occur.
In cas	In case of skin contact			and soap as a precaution. ntion if symptoms occur.
In cas	In case of eye contact			water as a precaution. ntion if irritation develops and persists.
lf swa	allowed	:	Get medical atte	ONOT induce vomiting. Intion if symptoms occur. Iroughly with water.
Most and e delay	important symptoms ffects, both acute and ed	:	Irritation Shortness of bre	provoke the following symptoms:
Prote	ction of first-aiders	:	No special preca	autions are necessary for first aid responders.
Notes	s to physician	:	Treat symptoma	tically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Krytox™ 143AD



Vers 5.0	sion	Revision Date: 11/08/2022	-	9S Number: 64301-00012	Date of last issue: 04/01/2022 Date of first issue: 06/20/2017	
		l protective equipment fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.		
SEC	CTION 6	. ACCIDENTAL RELE	ASE	EMEASURES		
	tive equ	al precautions, protec- uipment and emer- procedures	:		ng advice (see section 7) and personal pro- recommendations (see section 8).	
	Enviror	nmental precautions	:	Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. over a wide area (e.g., by containment or e of contaminated wash water. hould be advised if significant spillages	
		ls and materials for ment and cleaning up	:	For large spills, pr ment to keep mate pumped, store rec Clean up remainin bent. Local or national r sal of this materia ployed in the clean which regulations Sections 13 and 1	absorbent material. ovide diking or other appropriate contain- erial from spreading. If diked material can be covered material in appropriate container. ag materials from spill with suitable absor- egulations may apply to releases and dispo- l, as well as those materials and items em- nup of releases. You will need to determine are applicable. 5 of this SDS provide information regarding tional requirements.	

SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation :	Use only with adequate ventilation.
Advice on safe handling :	Do not breathe decomposition products.
	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage :	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid :	No special restrictions on storage with other products.
Further information on stor- : age stability	No decomposition if stored and applied as directed.



Version	Revision Date:	SDS Number:	Date of last issue: 04/01/2022
5.0	11/08/2022	1764301-00012	Date of first issue: 06/20/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Hydrogen fluoride	7664-39-3	TWA	0.5 ppm (Fluorine)	ACGIH
		С	2 ppm (Fluorine)	ACGIH
		С	6 ppm 5 mg/m³	NIOSH REL
		TWA	3 ppm 2.5 mg/m ³	NIOSH REL
		TWA	3 ppm	OSHA Z-2
Carbonyl difluoride	353-50-4	TWA	2 ppm	ACGIH
		STEL	5 ppm	ACGIH
		TWA	2 ppm 5 mg/m ³	NIOSH REL
		ST	5 ppm 15 mg/m³	NIOSH REL
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m ³	NIOSH REL
		ST	30,000 ppm 54,000 mg/m ³	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m³	OSHA Z-1
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m ³	NIOSH REL
		TWA	50 ppm 55 mg/m³	OSHA Z-1

Engineering measures

: Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to



Krytox™ 143AD

Version 5.0	Revision Date: 11/08/2022		DS Number: 764301-00012	Date of last issue: 04/01/2022 Date of first issue: 06/20/2017
			concentrations au unknown, approp Follow OSHA res use NIOSH/MSH by air purifying re dous chemical is respirator if there exposure levels a	xposures below recommended limits. Where re above recommended limits or are priate respiratory protection should be worn. spirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided espirators against exposure to any hazar- limited. Use a positive pressure air supplied is any potential for uncontrolled release, are unknown, or any other circumstance ig respirators may not provide adequate
Hand	protection			
Re	emarks	:	Wash hands befo	pre breaks and at the end of workday.
Eye p	rotection	:	Wear the followin Safety glasses	g personal protective equipment:
Skin a	and body protection	:	Skin should be w	ashed after contact.
Hygie	ne measures	:	eye flushing syste king place. When using do n	emical is likely during typical use, provide ems and safety showers close to the wor- ot eat, drink or smoke. ted clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	> -67 °F / > -55 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

SAFETY DATA SHEET



Krytox™ 143AD

Vers 5.0	sion	Revision Date: 11/08/2022		S Number: 64301-00012	Date of last issue: 04/01/2022 Date of first issue: 06/20/2017
	Flamma	ability (liquids)	:	Will not burn	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Relative	e density	:	1.86 - 1.91	
	Solubilit Wate	ty(ies) er solubility	:	insoluble	
	Partitior octanol/	n coefficient: n- /water	:	No data available	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	662 °F / 350 °C	
	Viscosit Visc	y osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.
Incompatible materials	:	None.

Hazardous decomposition products

Thermal decomposition	:	Hydrogen fluoride
		Carbonyl difluoride
		Carbon dioxide
		Carbon monoxide

SAFETY DATA SHEET



Krytox[™] 143AD

Version	Revision Date:	SDS Number:	Date of last issue: 04/01/2022
5.0	11/08/2022	1764301-00012	Date of first issue: 06/20/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available



ersion	Revision Date:	SDS Number:	Date of last issue: 04/01/2022	
.0	11/08/2022	1764301-00012	Date of first issue: 06/20/2017	
	istence and degradal	bility		
	ata available			
	ccumulative potentia ata available			
	lity in soil			
	ata available			
Othe	r adverse effects			
No da	ata available			
ECTION	13. DISPOSAL CON	SIDERATIONS		
Disp	osal methods			
-	e from residues	: Dispose of in a	accordance with local regulations.	
Conta	aminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. 		
ECTION	14. TRANSPORT INF	ORMATION		
Inter	national Regulations			
UNR Not re	TDG egulated as a dangero	us good		
	-DGR egulated as a dangero	us good		
-	G-Code egulated as a dangero	us good		
	sport in bulk accordi	-	RPOL 73/78 and the IBC Code	
	pplicable for product a	s supplied.		
Not a	pplicable for product a	s supplied.		
Not a Dom 49 Cl	estic regulation			

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.




Version 5.0	Revision Date: 11/08/2022	SDS Nu 1764301		Date of last issue: 04/01/2022 Date of first issue: 06/20/2017
SARA	311/312 Hazards	: No S	ARA Hazaro	ls
SARA	313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
US St	ate Regulations			
Penns	sylvania Right To Kno	w		
	PFPE fluid			Trade secret
Califo	rnia Prop. 65			
WARNING: This product can expose you to chemicals including Pentadecafluorooctanoic acid, which is/are known to the State of California to cause cancer, and Pentadecafluorooctanoic acid, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Note to User: This product is not made				

with PFOA nor is PFOA intentionally present in the product; however, it is possible that PFOA

may be present as an impurity at background (environmental) levels.

SECTION 16. OTHER INFORMATION



Krytox[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-



Version 5.0	Revision Date: 11/08/2022	SDS Number: 1764301-00012	Date of last issue: 04/01/2022 Date of first issue: 06/20/2017			
		its for Air Conta				
OSHA Z-2 : USA. Occupational Exposure Limits (OSHA) - Tab						
	SIH / TWA	: 8-hour, time-weighted average				
ACC	GIH / STEL	: Short-term exposure limit				
ACC	SIH / C	: Ceiling limit				
NIO	SH REL / TWA	0	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek			
NIO	SH REL / ST		: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday			
NIO	SH REL / C	: Ceiling value no	: Ceiling value not be exceeded at any time.			
OSł	HA Z-1 / TWA	: 8-hour time we				
	HA Z-2 / TWA		: 8-hour time weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

compile the Material Safety	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
-----------------------------	--

Revision Date : 11/08/2022

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET



Krytox[™] 143AD

Version	Revision Date:	SDS Number:	Date of last issue: 04/01/2022
5.0	11/08/2022	1764301-00012	Date of first issue: 06/20/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8