

## 1. Identification

Product Name:	FTF100, FTF003, FTF001
Other means of identification:	No data available
Recommended use:	Lubricating fluid
Restrictions on use:	Industrial use only

Manufacturer/Supplier/Distributor Information:

Company Name:	Fil-Tech, Inc.
Address:	6 Pinckney St.
	Boston, MA 02114
Telephone:	617-227-1133
Fax:	617-742-0686
Contact Person:	EHS Department
E-Mail:	sales@filtech.com
Emergency Phone:	617-227-1133

# 2. Material Identification and Information

Decomposition: Heating above 260°C, (500F) may depolymerize in the presence of some metal oxides at above 288°C (550°F.) Decomposition occurs at increasing rates as temperature is raised above 355°C (670°F).

Chemical Family:Perfluoroalkylether 100%Cas Number:60164-51-4

#### 3. Physical/Chemical Characteristics

Vapor pressure (mm Hg and Temperature): Less 10 Vapor density: H2O negligible Boling point: Appearance and Odor: Odorless, Liquid, Viscous oil, Colorless Specific Gravity (H2O 1): 1.86 1.91@ 24°C

#### 4. Fire and Explosion Hazard Data

Flash point and method used: PMCC Doesn't Extinguisher:

Media: Ignite Media = Water, Chemical Foam, Dry Powder, Dry Chemical CO2 Special Fire fighting procedures: Sand or Earth.

Evacuate personnel to safe area. Avoid breathing decomposition products. Decomposition at fames temperature may for toxic fluorine compounds.

## 5. Reactivity Hazard Data

Stability:

Incompatibility (Materials to Avoid):

Hazardous: Decomposition Products. Some aluminum and magnesium alloys when the metal is subject to shear under severe conditions.

# 6. Health Hazard Data

Primary Routes of Entry: Inhalation, ingestion, skin absorption. Not hazardous.

Carcinogen listed in NTP, OSHA, IARC: Not listed

Health Hazards

Acute: Remove to fresh air: flush with water; not hazardous

Chronic: No acceptable data is available to confidently predict the effects of excessive human exposure to this compound.

Signs and Symptoms of Exposure:

Medical Conditions Generally Aggravated by Exposure:

Emergency First Aid Procedures: Seek medical assistance for further treatment. Observation and support if necessary.

Eye Contact: Immediately flush eyes with water for 15 minutes

Skin contact:

Inhalation: If large amounts inhaled removed to fresh air. Ingestion:

# 7. Controls and Protective Measures

Respiratory Protection (specify type): Keep way from heat, sparks, and fames. Keep container tightly shut.

Protective Gloves

Eye Protection: Goggles or glasses with side shields

Ventilation: Local exhaust – ventilation when temp. Mechanical (general) Special Exceeds 260°C.

To Be Used Other (specify

Other Protective Clothing and Equipment:

Hygienic Work Practices: No consumption of food, dry, or tobacco where thy might be affected.

# 8. Precautions for Safe Handling and Use / Leak Procedures

Steps to Be Taken if Material Is Spilled or Released: Review fire, Explosion, and Safety precautions before proceeding with clean up. Use appropriate personal protective equipment during clean up. Waste Disposal Methods: Treatment, storage, transportation, and disposal must be WIPE and REMOVE in accordance with Federal, State and Local regulation, Do Not Burn.

Precautions to be taken in Handling and Storage: Shipping: Domestic – other than air (DOT) Not Regulated.

Other Precautions and/or Special Hazards: Keep container tightly closed. Do not store consumable where they might be contaminated.

FTA Rating: Health/Flammability/Reactivity/Special

HMIS Rating: Health/Flammability/Reactivity/personal Protection

#### 9. TRANSPORT INFORMATION

**International Regulations UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

**Domestic regulation 49 CFR** Not regulated as a dangerous good

#### **10. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know CERCLA Reportable Quantity** This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity** This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ. SARA 311/312 Hazards : No SARA Hazards

#### **11. OTHER INFORMATION**


#### NFPA 704:

Flammability

HMIS<sup>®</sup> IV:



HMIS<sup>®</sup> ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.



Special hazard.

Revised: 03.25.2024